



# OPERATIONS & INTELLIGENCE TECHNICAL CYBER SECURITY REPORT

## Inspira Health Network

July 2018

Tel: +1 609-651-4246

Tel: +507-836-5355

Info@glesec.com

www.glesec.com

CONFIDENTIAL

## Table of Contents

Table of Contents.....	2
About This Report .....	3
Confidentiality .....	3
Managed Vulnerability Service .....	4
Descriptions by hosts .....	5
Vulnerabilities found by severity .....	8
High Risk Level Vulnerabilities .....	8
Medium Risk Level Vulnerabilities .....	9
Low Risk Level Vulnerabilities .....	13
Threats.....	17

CONFIDENTIAL



## About This Report

This report is a companion to the Monthly Operations & Intelligence Executive Report. The purpose of this document is to provide Technical and Tactical level information, detail and recommendations to the extent that can be summarized. GLESEC processes significant amount of data and not all can be presented in a detail report format. For more information you can review the dashboards of the GMP or if necessary contact us at the GLESEC Operation Centers (GOC).

## Confidentiality

GLESEC considers the confidentiality of client's information as a trade secret. The information in this context is classified as:

- Client name and contact information
- System architecture, configuration, access methods and access control
- Security content

All the above information is kept secure to the extent in which GLESEC secures its own confidential information.

CONFIDENTIAL



## Managed Vulnerability Service (MSS-VM)

*The Managed Vulnerability Service (MSS-VM) enables organizations to minimize the risk of vulnerabilities by quickly discovering weaknesses, measuring the potential risk and exposure, reporting, providing remediation information necessary to mitigate those risks on an on-going basis and facilitating reporting and compliance with regulations and best practices.*

In the range of addresses provided by Inspira Health Network, we have found a total of 56 hosts, of which 10 are vulnerable. These vulnerabilities are divided into the following severities, as shown in the following table. In addition, you can observe the Risk Value score of your organization according to our metrics.

Total IP's Scanned				IP's Vulnerable	
56				10	
Risk Distribution					
Critical	High	Medium	Low	Total	
0	2	15	7	24	

According to the metrics:

RV= 0.072172619

The following values are to clarify RV:

RV=1 Points to every IP address in the infrastructure that are susceptible to attacks

RV=0 Points to no IP address in the infrastructure aret susceptible to attacks

RV=0.1 Point to 1/10 IP address in the infrastructure that are susceptible to attacks

All the vulnerabilities found in your organization belong to the following categories:

Category ▾	Critical ▾	High ▾	Medium ▾	Low ▾	Total ▾
General		0	14	3	17
Misc.		0	0	3	3
Service detection		2	0	0	2
Web Servers		0	0	1	1
Windows		0	1	0	1

CONFIDENTIAL



- General (70.83 %).
- Service detection (8.33%).
- Misc. (12.5%).
- Web Servers (4.17%).
- Windows (4.17%).

Additional details about these vulnerabilities are presented in the Vulnerabilities found in Inspira Health Network by severity section of the MSS-VM.

Detection of SSL version 2 and 3 is the high severity vulnerability found during this period. The remediation for this vulnerability is the implementation of the TLS protocol v1.1 or 1.2. TLS 1.0 was declared insecure in June of the present year.

The vulnerability that occurs most frequently is SSL Medium Strength Cipher Suites Supported and belongs to the General category.

Next, the most vulnerable hosts will be displayed:

- Hosts 170.75.33.136 and 170.75.33.139, both have the same 6 vulnerabilities of the General category: as SSLv3 Padding Oracle On Downgraded Legacy Encryption Vulnerability (POODLE), SSL Certificate Cannot Be Trusted and SSL / TLS Diffie-Hellman Modulus <= 1024 Bits (Logjam) of the category Misc.
- Host 170.75.49.35 has 2 vulnerabilities of the Windows category such as Microsoft Exchange Client Access Server Information Disclosure and Web Server HTTP Header Internal IP Disclosure (low).
- Host 170.75.32.15 has 4 vulnerabilities of the General category: Internet Key Exchange (IKE) Aggressive Mode with Pre-Shared Key and SSL RC4 Cipher Suites Supported (Bar Mitzvah).

These vulnerabilities represent a medium risk. An attacker could exploit the vulnerabilities to act as a man-in-the-middle, usurping the legitimate source connection and intercepting client's information.

The ports considered most vulnerable for this period were 4443 (Used as an alternative port to the HTTPS) and 443 (HTTPS). These ports present the most activity because the vulnerabilities found target those ports.

Only host 170.75.32.15 is vulnerable by the UDP protocol and port 500, presents a medium risk level in the Internet Key Exchange (IKE) vulnerability Aggressive Mode with Pre-Shared Key.


## Descriptions by Host

The following vulnerabilities have been reported previously:

The remote hosts <https://170.75.33.136/> is vulnerable to SSL / TLS Diffie-Hellman Modulus  $\leq 1024$  bits (Logjam) that is, it allows SSL/TLS connections with one or more Diffie-Hellman modules less than or equal to 1024 bits. It is a popular cryptographic algorithm that allows Internet protocols to agree on a shared key and negotiate a secure connection. The Logjam attack allows a male attacker in the middle to degrade vulnerable TLS connections to a 512-bit export-grade cryptography. This allows the attacker to read and modify any data passed through the connection.

The remote host <https://170.75.33.139/> is vulnerable to SSLv3 Padding Oracle On Downgraded Legacy Encryption Vulnerability (POODLE) this is a weakness in version 3 of the SSL protocol that allows an attacker in a context of man in the middle to decrypt the plain text content of an SSLv3 encrypted message. This vulnerability affects all software components that may be forced to communicate with SSLv3.

The remote host <https://170.75.33.133/> by affected SSL Certificate Signed Using Weak Hashing Algorithm. The SSL certificate that has been signed uses a weak cryptographic algorithm (for example, MD2, MD4, MD5 or SHA1). It is known that these signature algorithms are vulnerable to collision attacks. An attacker can exploit this to generate another certificate with the same digital signature, which allows an attacker to be masqueraded as the affected service.



The survey is expired.


CONFIDENTIAL



**Remediation:** For all the SSL vulnerabilities, the recommended solution is implementing TLS 1.1 or higher as the security layer for the connections. SSL v2 and v3 have many well documented vulnerabilities and is considered a deprecated protocol. In case the devices do not support TLS, the best approach would be to check with the device/software vendors if there are updates that patch the flaws present in the implementation of SSL.



The remote host <https://170.75.49.35/> is affected by an information disclosure vulnerability condition called The Microsoft Exchange Client Access Server (CAS). A remote unauthenticated attacker can exploit this vulnerability to know the internal IP address of the server.

We attach the image, showing the stated above.



**Remediation:** Microsoft released a patch to fix this vulnerability, apply the relevant update to mitigate the vulnerability, the update is *Security Update for Microsoft Exchange Server (3185883)*.

The remote host <https://170.75.32.15> is affected by the IKE version 1 service (Internet Key Exchange) seems to be compatible with aggressive mode with pre-shared key authentication (PSK). Such a configuration could allow an attacker to capture and crack the PSK of a VPN gateway and gain unauthorized access to private networks.



## Vulnerabilities by severity

The following section will describe in detail each vulnerability found according to their severity.

### *High Risk Level Vulnerabilities*

#### **SSL Version 2 and 3 Protocol Detection**

##### **Description**

The remote service accepts connections encrypted using SSL 2.0 and/or SSL 3.0. These versions of SSL are affected by several cryptographic flaws, including:

1. An insecure padding scheme with CBC ciphers.
2. Insecure session renegotiation and resumption schemes.

An attacker can exploit these flaws to conduct man-in-the-middle attacks or to decrypt communications between the affected service and clients.

Although SSL/TLS has a secure means for choosing the highest supported version of the protocol (so that these versions will be used only if the client or server support nothing better), many web browsers implement this in an unsafe way that allows an

attacker to downgrade a connection (such as in POODLE). Therefore, it is recommended that these protocols be disabled entirely.

*NIST has determined that SSL 3.0 is no longer acceptable for secure communications. As of the date of enforcement found in PCI DSS v3.1, any version of SSL will not meet the PCI SSC's definition of 'strong cryptography'.*

**Solution**

Consult the application's documentation to disable SSL 2.0 and 3.0. Use TLS 1.1 (with approved cipher suites) or higher instead.

**Affected Systems**

4443 / tcp / possible\_wls 170.75.33.136, 170.75.33.139

**Output**

```
- SSLv3 is enabled and the server supports at least one cipher.
```

### Medium Risk Level Vulnerabilities

**SSL Medium Strength Cipher Suites Supported****Description**

The remote host supports the use of SSL ciphers that offer medium strength encryption. GLESEC regards medium strength as any encryption that uses key lengths at least 64 bits and less than 112 bits, or else that uses the 3DES encryption suite.

*Note: Reconfigure the affected application if possible to avoid use of medium strength ciphers*

**Solution**

Reconfigure the affected application if possible to avoid use of medium strength ciphers.

**Affected Systems**

443 / tcp / cisco-ssl-vpn-svr 170.75.32.15  
 4443 / tcp / possible\_wls 170.75.33.136, 170.75.33.139  
 443 / tcp / possible\_wls 170.75.33.51, 170.75.33.109, 170.75.33.122,  
 170.75.33.123, 170.75.33.124, 170.75.33.133.

## Output

```
Here is the list of medium strength SSL ciphers supported by the remote server :

Medium Strength Ciphers (> 64-bit and < 112-bit key, or 3DES)

DES-CBC3-SHA          Kx=RSA          Au=RSA          Enc=3DES-CBC(168)    Mac=SHA1

The fields above are :

{OpenSSL ciphername}
Kx={key exchange}
Au={authentication}
Enc={symmetric encryption method}
Mac={message authentication code}
{export flag}
```

## SSL Certificate Cannot Be Trusted

### Description

The server's X.509 certificate cannot be trusted. This situation can occur in three different ways, in which the chain of trust can be broken, as stated below:

1. First, the top of the certificate chain sent by the server might not be descended from a known public certificate authority. This can occur either when the top of the chain is an unrecognized, self-signed certificate, or when intermediate certificates are missing that would connect the top of the certificate chain to a known public certificate authority.
2. Second, the certificate chain may contain a certificate that is not valid at the time of the scan. This can occur either when the scan occurs before one of the certificate's 'notBefore' dates, or after one of the certificate's 'notAfter' dates.
3. Third, the certificate chain may contain a signature that either didn't match the certificate's information or could not be verified. Bad signatures can be fixed by getting the certificate with the bad signature to be re-signed by its issuer. Signatures that could not be verified are the result of the certificate's

issuer using a signing algorithm that Nessus either does not support or does not recognize.

4. If the remote host is a public host in production, any break in the chain makes it more difficult for users to verify the authenticity and identity of the web server. This could make it easier to carry out man-in-the-middle attacks against the remote host.

### Solution

Purchase or generate a proper certificate for this service.

### Affected Systems

443 / tcp / possible\_wls      170.75.33.131 and 170.75.33.139

### Output

```
The following certificate was part of the certificate chain
sent by the remote host, but it has expired :

|-Subject      : C=US/2.5.4.17=08302/ST=NJ/L=Bridgeton/2.5.4.9=333 Irving Ave/O=Inspira Health
Network/OU=IS/OU=Secure Link SSL Wildcard/CN=*.sjhs.com
|-Not After    : Dec 17 23:59:59 2016 GMT
```

## SSLv3 Padding Oracle On Downgraded Legacy Encryption Vulnerability(POODLE)

### Description

The remote host is affected by a man-in-the-middle (MitM) information disclosure vulnerability known as POODLE. The vulnerability is due to the way SSL 3.0 handles padding bytes when decrypting messages encrypted using block ciphers in cipher block chaining (CBC) mode.

MitM attackers can decrypt a selected byte of a cipher text in as few as 256 tries if they are able to force a victim application to repeatedly send the same data over newly created SSL 3.0 connections.

As long as a client and service both support SSLv3, a connection can be 'rolled back' to SSLv3, even if TLSv1 or newer is supported by the client and service.

The TLS Fallback SCSV mechanism prevents 'version rollback' attacks without impacting legacy clients; however, it can only protect connections when the client

and service support the mechanism. Sites that cannot disable SSLv3 immediately should enable this mechanism.

This is vulnerability in the SSLv3 specification, not in any particular SSL implementation. Disabling SSLv3 is the only way to completely mitigate the vulnerability.

*Note: Services that must support SSLv3 should enable the TLS Fallback SCSV mechanism until SSLv3 can be disabled.*

### Solution

Disable SSLv3.

### Affected Systems

4443 / tcp / possible\_wls 170.75.33.136, 170.75.33.139.

### Output

```
cipher suite, indicating that this server is vulnerable.
```

```
It appears that TLSv1 or newer is supported on the server. However, the  
Fallback SCSV mechanism is not supported, allowing connections to be "rolled  
back" to SSLv3.
```

### Microsoft Exchange Client Access Server Information Disclosure

#### Description

The Microsoft Exchange Client Access Server (CAS) is affected by an information disclosure vulnerability. A remote, unauthenticated attacker can exploit this vulnerability to learn the server's internal IP address.

#### Affected Systems

443 / tcp / possible\_wls 170.75.49.35

#### Output

CONFIDENTIAL

```
GET /autodiscover/autodiscover.xml HTTP/1.0
Accept-Charset: iso-8859-1,utf-8;q=0.9,*;q=0.1
Accept-Language: en
Connection: Close
User-Agent: Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 5.1; Trident/4.0)
Pragma: no-cache
Accept: image/gif, image/x-xbitmap, image/jpeg, image/pjpeg, image/png, */*

Which returned the following IP address :

10.103.190.210
```

### **Internet Key Exchange (IKE) Aggressive Mode with Pre-Shared Key**

#### **Description**

The remote Internet Key Exchange (IKE) version 1 service seems to support Aggressive Mode with Pre-Shared key (PSK) authentication. Such a configuration could allow an attacker to capture and crack the PSK of a VPN gateway and gain unauthorized access to private networks.

#### **Solution**

1. Disable Aggressive Mode if supported.
2. Do not use Pre-Shared key for authentication if it's possible.
3. If using Pre-Shared key cannot be avoided, use very strong keys.
4. If possible, do not allow VPN connections from any IP addresses.

*Note that this plugin does not run over IPv6.*

#### **Affected Systems**

500 / udp / ike 170.75.32.15

### ***Low Risk Level Vulnerabilities***

### **SSL RC4 Cipher Suites Supported (Bar Mitzvah)**

#### **Description**

The remote host supports the use of RC4 in one or more cipher suites.

The RC4 cipher is flawed in its generation of a pseudo-random stream of bytes so that a wide variety of small biases are introduced into the stream, decreasing its

CONFIDENTIAL

randomness.

If plaintext is repeatedly encrypted (e.g., HTTP cookies), and an attacker is able to obtain many (i.e., tens of millions) ciphertexts, the attacker may be able to derive the plaintext.

### Solution

Reconfigure the affected application, if possible, to avoid use of RC4 ciphers. Consider using TLS 1.2 with AES-GCM suites subject to browser and web server support.

### Affected Systems

443 / tcp / cisco-ssl-vpn-svr 170.75.32.15

#### Output

```
List of RC4 cipher suites supported by the remote server :  
  
High Strength Ciphers (>= 112-bit key)  
  
RC4-SHA          Kx=RSA      Au=RSA      Enc=RC4 (128)      Mac=SHA1  
  
The fields above are :  
{OpenSSL ciphername}  
Kx={key exchange}  
Au={authentication}  
Enc={symmetric encryption method}  
Mac={message authentication code}  
{export flag}
```

### Affected Systems

4443 / tcp / possible\_wls 170.75.33.136 and 170.75.33.139

#### Output

```
List of RC4 cipher suites supported by the remote server :  
  
High Strength Ciphers (>= 112-bit key)  
  
RC4-MD5          Kx=RSA      Au=RSA      Enc=RC4 (128)      Mac=MD5  
RC4-SHA          Kx=RSA      Au=RSA      Enc=RC4 (128)      Mac=SHA1  
  
The fields above are :  
{OpenSSL ciphername}  
Kx={key exchange}  
Au={authentication}  
Enc={symmetric encryption method}  
Mac={message authentication code}  
{export flag}
```

CONFIDENTIAL



**SSL/TLS Diffie-Hellman Modulus <= 1024 Bits (Logjam)****Description**

The remote host allows SSL/TLS connections with one or more Diffie-Hellman moduli less than or equal to 1024 bits. Through cryptanalysis, a third party may be able to find the shared secret in a short amount of time (depending on modulus size and attacker resources). This may allow an attacker to recover the plaintext or potentially violate the integrity of connections.

**Solution**

Reconfigure the service to use a unique Diffie-Hellman moduli of 2048 bits or greater.

**Affected Systems**

443 / tcp / cisco-ssl-vpn-svr 170.75.32.15

**Output**

```
Vulnerable connection combinations :

SSL/TLS version   : TLSv1.0
Cipher suite      : TLS1 CK DHE RSA WITH AES_256_CBC_SHA
Diffie-Hellman MODP size (Bits) : 1024
Warning - This is a known static Oakley Group2 modulus. This may make
the remote host more vulnerable to the Logjam attack.
Logjam attack difficulty : Hard (would require nation-state resources)

SSL/TLS version   : TLSv1.0
Cipher suite      : TLS1 CK DHE RSA WITH AES_128_CBC_SHA
Diffie-Hellman MODP size (Bits) : 1024
Warning - This is a known static Oakley Group2 modulus. This may make
the remote host more vulnerable to the Logjam attack.
Logjam attack difficulty : Hard (would require nation-state resources)
```

**Affected Systems**

4443 / tcp / possible\_wls 170.75.33.136

**Output**

CONFIDENTIAL

## Vulnerable connection combinations :

```

SSL/TLS version : TLSv1.1
Cipher suite    : TLS1 CK DHE RSA WITH_AES_128_CBC_SHA
Diffie-Hellman MODP size (Bits) : 1024
Warning - This is a known static Oakley Group2 modulus. This may make
the remote host more vulnerable to the Logjam attack.
Logjam attack difficulty : Hard (would require nation-state resources)

SSL/TLS version : TLSv1.1
Cipher suite    : TLS1 CK DHE RSA WITH_AES_256_CBC_SHA
Diffie-Hellman MODP size (Bits) : 1024
Warning - This is a known static Oakley Group2 modulus. This may make
the remote host more vulnerable to the Logjam attack.
Logjam attack difficulty : Hard (would require nation-state resources)

SSL/TLS version : TLSv1.0
Cipher suite    : TLS1 CK DHE RSA WITH_AES_128_CBC_SHA
Diffie-Hellman MODP size (Bits) : 1024
Warning - This is a known static Oakley Group2 modulus. This may make
the remote host more vulnerable to the Logjam attack.
Logjam attack difficulty : Hard (would require nation-state resources)

SSL/TLS version : TLSv1.0
Cipher suite    : TLS1 CK DHE RSA WITH_AES_256_CBC_SHA
Diffie-Hellman MODP size (Bits) : 1024
Warning - This is a known static Oakley Group2 modulus. This may make
the remote host more vulnerable to the Logjam attack.
Logjam attack difficulty : Hard (would require nation-state resources)

```

## Affected Systems

4443 / tcp / possible\_wls 170.75.33.139

## Output

## Vulnerable connection combinations :

```

SSL/TLS version : TLSv1.1
Cipher suite    : TLS1 CK DHE RSA WITH_AES_256_CBC_SHA
Diffie-Hellman MODP size (Bits) : 1024
Warning - This is a known static Oakley Group2 modulus. This may make
the remote host more vulnerable to the Logjam attack.
Logjam attack difficulty : Hard (would require nation-state resources)

SSL/TLS version : TLSv1.1
Cipher suite    : TLS1 CK DHE RSA WITH_AES_128_CBC_SHA
Diffie-Hellman MODP size (Bits) : 1024
Warning - This is a known static Oakley Group2 modulus. This may make
the remote host more vulnerable to the Logjam attack.
Logjam attack difficulty : Hard (would require nation-state resources)

SSL/TLS version : TLSv1.0
Cipher suite    : TLS1 CK DHE RSA WITH_AES_256_CBC_SHA
Diffie-Hellman MODP size (Bits) : 1024
Warning - This is a known static Oakley Group2 modulus. This may make
the remote host more vulnerable to the Logjam attack.
Logjam attack difficulty : Hard (would require nation-state resources)


SSL/TLS version : TLSv1.0
Cipher suite    : TLS1 CK DHE RSA WITH_AES_128_CBC_SHA
Diffie-Hellman MODP size (Bits) : 1024
Warning - This is a known static Oakley Group2 modulus. This may make
the remote host more vulnerable to the Logjam attack.
Logjam attack difficulty : Hard (would require nation-state resources)

```

## THREATS

GLESEC uses its MSS-APS, MSS-EPS, MSS-SIEM, MSS-EIR and MSS-UTM to determine threat intelligence activity.

The Threats as reported by the MSS-APS, MSS-EPS, MSS-SIEM, MSS-EIR and MSS-UTM for this month are Scanning, Access and Behavioral-DoS. All these threats were identified and dropped.



For the month we observed a decrease in the activity of attacks from the previous month of approximately 2.3% and a decrease in the critical attacks of the previous month of approximately 27%.

Most attacks seem to be reconnaissance (scanning). Approximately 89.50% of the attacks this month came from a scan that can be considered reconnaissance and is used by attackers to find open points in the network. Another of the categories that present attacks are Access with 7.26% and Behavioral-DoS with 2.07%.

The following are the countries with the highest percentage of attacks:

- The Russian Federation represents 43%, some of the attacks carried out are TCP Scan, TCP Scan (Horizontal) of the Anti-Scannig category; and Network flood IPv4 TCP-SYN of the Behavioral-DoS category.
- The United States represents 19%, some of the attacks carried out are Ping Sweep of the Anti-Scannig category; and BlackList and Threat List in the Access category.
- Chile represents 11%, some of the attacks carried out are TCP Scan, UDP and Scan (Horizontal) of the Anti-Scanning category.
- China represents 7%, some of the attacks carried out are TCP Scan

CONFIDENTIAL



(Horizontal) of the Anti-Scanning category; network flood IPv4 TCP-SYN-ACK and network flood IPv4 UDP of the Behavioral-DoS category.

Anti-Scannig generally performs polling techniques such as TCP Scan, Ping Sweep and UDP Scan that attackers use to discover entry points to the target system. While Behavioral-DoS performs attacks such as Network Flood, IPv4, TCP-SYN UDP and Network Flood, IPv4 TCP-SYN (ACK) are used to saturate the network.

Attacks for this period that last more than one hour belong to the Anti-Scanning category, followed by Anomalies and ten to thirty minutes belong to the Access category which also is the category that consumes the most bandwidth.

The TCP and UDP protocols are the most used to perform the attacks, through port 8545 is targeted for scans very frequently, if it is not a necessity to leave it open it would be advisable to close or filter it from traffic from the outside. Ports 1433 and 3389 are also targets for scanners, this ports correspond to SQL Server and IANA registered for Microsoft WBT Server, used for Windows Remote Desktop and Remote Assistance connections (RDP - Remote Desktop Protocol) respectively. All these examples should only be open to the internet if strictly necessary.

Based on the information gathered from the security countermeasures during this period 55,437,346 attacks on Inspira Health Network; 1,401,316 of which were considered critical were all stopped by the GLESEC managed security countermeasures.

Inspira Health Network receives an average of 36,721,434 total attacks and 2,331,479 critical attacks on a monthly basis. This equates to an average of 1,300,759 total daily attacks and 82,586 critical daily attacks.





USA-ARGENTINA-PANAMA  
México-Perú-Brasil- Chile

Tel: +1 609-651-4246  
Tel: +507-836-5355

[Info@glesec.com](mailto:Info@glesec.com)

[www.glesec.com](http://www.glesec.com)